



6211LLUNR NTN Deep Groove Ball Bearings

Bearing No. 6211LLUNR

6211LLUNR Bearing 2D drawings and 3D CAD models

Size	55x100x21 mm
Bore Diameter	55,000 mm
Outer Diameter	100,000 mm
Width	21,000 mm
d	55,000 mm
D	100,000 mm
B	21,000 mm
C	21,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.607
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	55MM Bore; 100MM Outside Diameter; 21MM



Distribuidor autorizado de cojinete

	Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6211LLUNR/2A
Weight / LBS	1.34
Outside Diameter	3.937 Inch 100 Millimeter
Bore	2.165 Inch 55 Millimeter
Outer Race Width	0.827 Inch 21 Millimeter
bore diameter:	55 mm
precision rating:	ISO Class 0
outside diameter:	100 mm
finish/coating:	Uncoated
overall width:	21 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	21 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	21 mm
snap ring included:	With Snap Ring
maximum rpm (grease):	4300 rpm
internal clearance:	CN
fillet radius:	1.5 mm
operating temperature	-40 to 120 ° C



Distribuidor autorizado de cojinete

range:	
maximum rpm:	7600 RPM
dynamic load capacity:	43500 N
series:	62
static load capacity:	29200 N
manufacturer product page:	Click here